


Swageless Cable System

Easy & Fast Installation

Terminal Kit For SS Deck Railing



| Stock No. | Cable Dia. | D1(mm) | L1 | L2 |
|-----------|------------|--------|-------|-------|
| CU711325 | 1/8" | φ11 | 2.03" | 2.03" |
| CU711326 | 1/8" | φ11 | 1.56" | 1.56" |
| CU711425 | 5/32" | φ11 | 2.03" | 2.03" |
| CU711426 | 5/32" | φ11 | 1.56" | 1.56" |
| CU711525 | 3/16" | φ11 | 2.03" | 2.03" |
| CU711526 | 3/16" | φ11 | 1.56" | 1.56" |

*Customized lengths available


*To order with swage stud

Swageless Terminal Kit For Wood Deck Railing



| Stock No. | Cable Dia. | D1(mm) | L1 | L2 | T |
|-----------|------------|--------|-------|-------|-----|
| CW723325 | 1/8" | φ11 | 1.56" | 1.56" | ST8 |
| CW723425 | 5/32" | φ11 | 1.56" | 1.56" | ST8 |
| CW723525 | 3/16" | φ11 | 1.56" | 1.56" | ST8 |

Swivel Swageless Terminal Kit For SS Stair Railing



| Stock No. | Cable Dia. | D1(mm) | L1 | L2 | L3 |
|-----------|------------|--------|-------|-------|-------|
| CU731325 | 1/8" | φ11 | 2.03" | 1.56" | 1.56" |
| CU731326 | 1/8" | φ11 | 1.56" | 1.56" | 1.56" |
| CU731425 | 5/32" | φ11 | 2.03" | 1.56" | 1.56" |
| CU731426 | 5/32" | φ11 | 1.56" | 1.56" | 1.56" |
| CU731525 | 3/16" | φ11 | 2.03" | 1.56" | 1.56" |
| CU731526 | 3/16" | φ11 | 1.56" | 1.56" | 1.56" |

*L3 Customized lengths available

Swivel Swageless Terminal Kit For Wood Stair Railing




| Stock No. | Cable Dia. | D1(mm) | L1 | L2 | T |
|-----------|------------|--------|-------|-------|-----|
| CW743325 | 1/8" | φ11 | 1.56" | 1.56" | ST8 |
| CW743425 | 5/32" | φ11 | 1.56" | 1.56" | ST8 |
| CW743525 | 3/16" | φ11 | 1.56" | 1.56" | ST8 |

Swageless Cable System Black Finish

Easy & Fast Installation

Swageless Terminal Kit For SS Deck Railing PVD Black



| Stock No. | Cable Dia. | D1(mm) | L1 | L2 |
|-----------|------------|--------|-------|-------|
| CU711325 | 1/8" | φ11 | 2.03" | 2.03" |
| CU711326 | 1/8" | φ11 | 1.56" | 1.56" |
| CU711425 | 5/32" | φ11 | 2.03" | 2.03" |
| CU711426 | 5/32" | φ11 | 1.56" | 1.56" |
| CU711525 | 3/16" | φ11 | 2.03" | 2.03" |
| CU711526 | 3/16" | φ11 | 1.56" | 1.56" |


*Customized lengths available

*To order with swage stud

Swageless Pull Lock PVD Black



| L (inch) | 1.56" | 1.8" | 2.03" | 2.4" | 2.53" | 2.756" | 3.03" |
|-----------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| 1/8" Cable Stock No. | CU251340-GB | CU251346-GB | CU251352-GB | CU251361-GB | CU251364-GB | CU251370-GB | CU251377-GB |
| 5/32" Cable Stock No. | CU251440-GB | CU251446-GB | CU251452-GB | CU251461-GB | CU251464-GB | CU251470-GB | CU251477-GB |
| 3/16" Cable Stock No. | CU251540-GB | CU251546-GB | CU251552-GB | CU251561-GB | CU251564-GB | CU251570-GB | CU251577-GB |
| D(mm) | φ11 | φ11 | φ11 | φ11 | φ11 | φ11 | φ11 |



Stainless Steel Streamline Receiver PVD Black

| L (inch) | 1.56" | 1.8" | 2.03" | 2.4" | 2.53" | 2.756" | 3.03" |
|-----------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| Stock No. | CU110840-GB | CU110846-GB | CU110852-GB | CU110861-GB | CU110864-GB | CU110870-GB | CU110877-GB |
| D(mm) | φ10.5 | φ10.5 | φ10.5 | φ10.5 | φ10.5 | φ10.5 | φ10.5 |

To order separately

Moly-coated Swage Stud

| Stock No. | Cable Dia. |
|--------------|------------|
| CU161300(Mo) | 1/8" |
| CU161400(Mo) | 5/32" |
| CU161500(Mo) | 3/16" |

*Swage required



1x19 Stainless Steel Black Oxide Cable

| Cable Dia | 1/8" | 5/32" | 3/16" |
|-----------|-----------------|-------|-------|
| Length | 1000ft per reel | | |

Swaged Cable

*We can also provide swage service, customized lengths available

Swageless Cable Fittings


Easy & Fast Installation

Swageless Pull Lock



| L (inch) | 1.56" | 1.8" | 2.03" | 2.4" | 2.53" | 2.756" | 3.03" |
|-----------------------|----------|----------|----------|----------|----------|----------|----------|
| 1/8" Cable Stock No. | CU251340 | CU251346 | CU251352 | CU251361 | CU251364 | CU251370 | CU251377 |
| 5/32" Cable Stock No. | CU251440 | CU251446 | CU251452 | CU251461 | CU251464 | CU251470 | CU251477 |
| 3/16" Cable Stock No. | CU251540 | CU251546 | CU251552 | CU251561 | CU251564 | CU251570 | CU251577 |

Stainless Steel Streamline Receiver



| L (inch) | 1.56" | 1.8" | 2.03" | 2.4" | 2.53" | 2.756" | 3.03" |
|-----------|----------|----------|----------|----------|----------|----------|----------|
| Stock No. | CU110840 | CU110846 | CU110852 | CU110861 | CU110864 | CU110870 | CU110877 |
| D(mm) | 0.406" | 0.406" | 0.406" | 0.406" | 0.406" | 0.406" | 0.406" |

To order separately


**Moly-coated
Swage Stud**



| Stock No. | Cable Dia. |
|--------------|------------|
| CU161300(Mo) | 1/8" |
| CU161400(Mo) | 5/32" |
| CU161500(Mo) | 3/16" |

*Swage required


**Swageless
Terminal**



| Stock No. | Cable Dia. | D(mm) | L | L1 | T |
|-----------|------------|-------|--------|-------|--------------|
| CU210328 | 1/8" | φ11 | 3.425" | 1.77" | 5/16"-24 UNF |
| CU210428 | 5/32" | φ11 | 3.425" | 1.77" | 5/16"-24 UNF |
| CU210528 | 3/16" | φ11 | 3.425" | 1.77" | 5/16"-24 UNF |


Swageless Cable Fittings

Swageless Terminal Shorter Threads




| Stock No. | Cable Dia. | D(mm) | L | L1 | T |
|-----------|------------|-------|--------|--------|--------------|
| CU210326 | 1/8" | φ11 | 2.835" | 1.181" | 5/16"-24 UNF |
| CU210426 | 5/32" | φ11 | 2.835" | 1.181" | 5/16"-24 UNF |
| CU210526 | 3/16" | φ11 | 2.835" | 1.181" | 5/16"-24 UNF |

Swageless Terminal Minimum Threads




| Stock No. | Cable Dia. | D(mm) | L | L1 | T |
|-----------|------------|-------|--------|--------|--------------|
| CU210325 | 1/8" | φ11 | 2.146" | 0.512" | 5/16"-24 UNF |
| CU210425 | 5/32" | φ11 | 2.146" | 0.512" | 5/16"-24 UNF |
| CU210525 | 3/16" | φ11 | 2.146" | 0.512" | 5/16"-24 UNF |

Swageless Tensioner



| Stock No. | Cable Dia. | D(mm) | L | L1 | T |
|-----------|------------|-------|-------|--------|--------------|
| CU230325 | 1/8" | φ11 | 4.53" | 0.394" | 5/16"-24 UNF |
| CU230425 | 5/32" | φ11 | 4.53" | 0.394" | 5/16"-24 UNF |
| CU230525 | 3/16" | φ11 | 4.53" | 0.394" | 5/16"-24 UNF |


Swivel swageless Cable Railing Kit



| Stock No. | Cable Dia. | D1(mm) | L1 | L2 | T |
|-----------|------------|--------|-------|-------|--------------|
| CU733325 | 1/8" | φ11 | 1.56" | 1.56" | 5/16"-24 UNF |
| CU733425 | 5/32" | φ11 | 1.56" | 1.56" | 5/16"-24 UNF |
| CU733525 | 3/16" | φ11 | 1.56" | 1.56" | 5/16"-24 UNF |


Swageless Cable Fittings

Angle Washer




| Stock No. | A | B | H | Angle |
|-----------|--------|--------|------|-------|
| C8231135 | 0.531" | 0.445" | 0.1" | 35° |

Angle Washer for Round Posts




| Stock No. | A | B | Angle |
|------------|--------|--------|-------|
| C854114835 | 0.531" | 0.445" | 35° |

Protector Sleeve




| Stock No. | A | B | C | D(mm) |
|-----------|-------|------|-------|-------|
| C60803 | 1/8" | 1/4" | 0.75" | φ12.6 |
| C60805 | 3/16" | 1/4" | 0.75" | φ12.6 |



Release Key

| Stock No. | Suit Cable |
|-----------|-------------|
| CU19903 | 1/8"; 5/32" |





1x19 Stainless Steel Cable

| Cable Dia | 1/8" | 5/32" | 3/16" |
|-----------|-----------------|-------|-------|
| Length | 1000ft per reel | | |

Swaged Cable

*We can also provide swage service, customized lengths available





Contact



Detailed Products

QINGDAO JINFER INTERNATIONAL CO.,LTD.

No. 6 Shan Dong Rd., Qingdao, China 266000

Tel: +86 532 8386 0958

Email: sales@jinferrailing.com

www.jinferrailing.com